

**CLIMATE CHANGE ADAPTATION IN AFRICA:
A MICROECONOMIC ANALYSIS OF LIVESTOCK CHOICE**

Sungno Niggol Seo and Robert Mendelsohn¹

¹School of Forestry and Environmental Studies, Yale University. Address: 230 Prospect St, New Haven, CT 06511, Seo phone: 203-432-6452, e-mail: Niggol.seo@yale.edu; Mendelsohn phone: 203-432-5128, e-mail: Robert.mendelsohn@yale.edu.

The authors want especially to thank Pradeep Kurukulasuriya, Rashid Hassan, James Benhin, Temesgen Deressa, Mbaye Diop, Helmy Mohamed Eid, K.Yerfi Fosu, Glwadys Gbetibouo, Suman Jain, Ali Mahamadou, Reneth Mano, Jane Mariara, Samiha El-Marsafawy, Ernest Molua, Mathieu Ouedraogo, and Isidor Sène for their role in collecting the data and conducting the study.

THE MISSION OF CEEPA

The mission of the Centre for Environmental Economics and Policy in Africa (CEEPA) is to enhance the capacity of African researchers to conduct environmental economics and policy inquiry of relevance to African problems and increase the awareness of the role of environmental economics in sustainable development for economic managers and policy makers.

CEEPA PUBLICATIONS

Aims and Scope

CEEPA publishes peer-reviewed work in environmental economics in its Discussion Paper Series and other publications. The goal of the publications is to promote the exchange of ideas among environmental economists conducting both quantitative and qualitative analysis for both analytical and applied policy design in the public and private sectors in Africa.

CEEPA also publishes research materials intended as useful resources for researchers, policy makers and students in environmental economics and policy.

- Co-Editors:** Prof Margaret Chitiga, University of Pretoria
Dr Eric Dada Mungatana, CEEPA
- Associate Editors:** Dr Tim Lynam, Tropical Resources and Ecology Policy Studies (TREPS), University of Zimbabwe
Prof Mohamud Jama, Institute for Development Studies, University of Nairobi
Dr Ayalneh Bogale, Department of Agricultural Economics, Alemaya University
- Assistant Editor:** Dalène du Plessis, CEEPA

Correct citation: Seo S & Mendelsohn R, 2006. Climate change adaptation in Africa: a microeconomic analysis of livestock choice. CEEPA Discussion Paper No. 19, Centre for Environmental Economics and Policy in Africa, University of Pretoria.

Core funding for CEEPA comes from the University of Pretoria. CEEPA receives supplementary funding from various donors including the Swedish International Development Cooperation Agency (SIDA), GEF, NRF South Africa, NOAA (USA), IDRC.

Additional information on CEEPA activities is available at <http://www.ceepea.co.za>
Department of Agricultural Economics, Faculty of Natural and Agricultural Sciences
University of Pretoria; PRETORIA 0002, Republic of South Africa

ISBN 1-920160-19-1
First published 2006
Series ISBN 1-920160-01-9

Printed and bound in South Africa by University of Pretoria

© 2006, Centre for Environmental Economics and Policy in Africa (CEEPA)

TABLE OF CONTENTS

Section	Page
Preface	4
Executive summary	5
1 Introduction	6
2 Theory	6
3 Data and empirical specification	9
4 Empirical results	10
5 Climate change simulations	12
6 Conclusion and policy implications	14
References	16

LIST OF TABLES

Table	Page
1 Logit regression of whether or not to own livestock	19
2 Multinomial logit ‘primary animal’ regressions of species choice	20
3 Multinomial logit ‘optimal portfolio’ regression	21
4 Multivariate probit ‘demand system’ regressions	24
5 Change in probabilities of choosing livestock from uniform climate change scenarios	25
6 Change in the probabilities of selecting species in each uniform climate change scenario	25
7 AOGCM climate scenarios	26
8 Predicted change in the probability of choosing livestock from AOGCM scenarios	26
9 ‘Primary animal’ analysis of the change in the probability of selecting species in each AOGCM climate scenario	27
10 ‘Optimal portfolio’ analysis of the change in the probability of selecting species in each AOGCM climate scenario	28
11 ‘Demand system’ analysis of the change in the probability of selecting species in each AOGCM climate scenario	29

LIST OF FIGURES

Figure		Page
1a	The effect of annual temperature on the probability of owning livestock	30
1b	The effect of annual precipitation on the probability of owning livestock	31
2a	The effect of annual temperature on the probability of species choice: Primary animal approach	32
2b	The effect of annual precipitation on the probability of species choice: Primary animal approach	33
3a	The effect of annual temperature on the probability of species choice: Portfolio approach	34
3b	The effect of annual precipitation on the probability of species choice: Portfolio approach	35
4a	The effect of annual temperature on the probability of species choice: Demand system approach	36
4b	The effect of annual precipitation on the probability of species choice: Demand system approach	37

PREFACE

The reports in this special series are the result of a multi-country research activities conducted under the GEF funded project: *Climate Change Impacts on and Adaptation of Agro-ecological Systems in Africa*. The main goal of the project was to develop multipliable analytical methods and procedures to assess quantitatively how climate affects current agricultural systems in Africa, predict how these systems may be affected in the future by climate change under various global warming scenarios, and suggest what role adaptation could play. The project has been implemented in 11 countries: Burkina Faso, Cameroon, Ghana, Niger and Senegal in west Africa; Egypt in north Africa; Ethiopia and Kenya in east Africa and South Africa, Zambia, and Zimbabwe in southern Africa. The study countries covered all key agro-climatic zones and farming systems in Africa. This is the first analysis of climate impacts and adaptation in the Africa continent of such scale and the first in the world to combine cross-country, spatially referenced survey and climatic data for conducting this type of analysis.

The analyses reported in this series focus mainly on quantitative assessment of the economic impacts of climate change on agriculture and the farming communities in Africa, based on both the cross-sectional (Ricardian) method and crop response simulation modeling. The cross sectional analysis also allowed for assessing the possible role of adaptation. Moreover, the project employed river-basin hydrology modeling to generate additional climate attributes for the impact assessment and climate scenario analyses such as surface runoff and streamflow for all districts in the study countries.

The Centre for Environmental Economics and policy in Africa (CEEPA) of the University of Pretoria coordinated all project activities in close collaboration with many agencies in the involved countries, the Agriculture and Rural Development (ARD) Department of the World Bank, the World Bank Institute (WBI), the Food and Agriculture Organization (FAO), Yale University, the University of Colorado, and the International Water Management Institute (IWMI). The project received supplemental funding from TFESSD, Finnish TF, NOAA-OPG, and CEEPA. We are grateful for the invaluable contributions of all these institutions and all individuals involved in this project. All opinions presented in this report series and any errors in it are those of the authors and do not represent the opinion of any of the above listed agencies.

Rashid Hassan, Project Leader
CEEPA, University of Pretoria

Ariel Dinar, Project Manager
ARD, World Bank

EXECUTIVE SUMMARY

This paper uses quantitative methods to examine the way African farmers have adapted livestock management to the range of climates found across the African continent. We use logit analysis to estimate whether farmers adopt livestock. We then use three econometric models to examine what species they choose: a primary choice multinomial logit, an optimal portfolio multinomial logit, and a demand system multivariate probit. The 'primary animal' model examines the choice of the single species that earns the greatest net revenue on the farm. The 'optimal portfolio' model examines all possible combinations of animals that farmers can choose. The demand system model examines the probability that a farmer will choose a particular species.

Using data from over 9000 African livestock farmers from ten countries, we find that farmers are more likely to choose to have livestock as temperatures increase and as precipitation decreases. Cooler temperatures and wetter conditions, in contrast, favor crops. Across all methods of estimating choice, livestock farmers in warmer locations are less likely to choose beef cattle and chickens and more likely to choose goats and sheep. As precipitation increases/decreases, cattle and sheep decrease/increase but goats and chickens increase/decrease. Places with more rain in Africa are more likely to be forest than savanna. The savanna favors cattle and sheep whereas the forest favors goats and chickens.

We then simulate the way farmers' choices might change with a set of uniform climate changes and a set of climate model (AOGCM) scenarios. The uniform scenarios predict that warming and drying would increase livestock ownership but that increases in precipitation would decrease it. Warming would encourage livestock farmers to shift from beef cattle and chicken to goats and sheep. Increases/decreases in precipitation would cause livestock owners to decrease/increase dairy cattle and sheep but increase/decrease goats and chickens. The AOGCM (Atmospheric Oceanic General Circulation Model) climate scenarios predict a decrease in the probability of beef cattle and an increase in the probability of sheep and goats, and they predict that more heat-tolerant animals will dominate the future African landscape.

Comparing the results of the three methods of estimating species selection reveals that the 'primary animal', 'optimal portfolio', and 'demand system' approaches yield similar results. The demand system and optimal portfolio analyses appear slightly more responsive because they measure the presence of a particular species, rather than whether it is the primary animal. The optimal portfolio approach also differs from the other two methods in predicting warming will have a harmful effect on dairy cattle and goats and a larger beneficial effect on sheep.

1. Introduction

As it has become clear that warming has already begun and will continue into the future (Houghton et al. 2001), the climate literature has gradually begun to address the critical question of adaptation (McCarthy et al. 2001). There are papers that discuss whether adaptation will anticipate climate change or simply react to it (Ausubel 1991; Yohe et al. 1996; Klein et al. 1999; Smit & Pilifosova 2001). There are papers that discuss whether adaptation will be autonomous or require public action (Smit et al. 1996; Klein et al. 1999; Leary 1999; Burton 2000; Pittock & Jones 2000; Bryant et al. 2000; Smit et al. 2000; Barnett 2001). There are papers that argue that adaptation will reduce the damages and increase the benefits of warming (Mendelsohn et al. 1994; Reilly et al. 1996; Adams et al. 1999). There are papers that argue whether or not adaptation will be efficient (Mendelsohn 2000; Kelly et al. 2005). However, most of this literature is qualitative and theoretical. What is consistently missing in this literature is empirical evidence. How will people adapt? What will they do in what circumstances?

This study examines the behavior of farmers in Africa and explores how they have adapted livestock management to the various climates across Africa. The paper specifically examines whether farmers will adopt livestock and which species they will choose. We are specifically interested in whether these decisions depend on climate.

In the Section 2 we compare three alternative models of species choice: ‘primary animal’ multinomial logit, ‘optimal portfolio’ multinomial logit, and ‘demand system’ multivariate probit. The primary animal analysis examines the choice of the single species that earns the greatest net revenue on the farm. The optimal portfolio approach examines all possible combinations of animals that farmers can choose. The demand system model examines the probability that a farmer will choose a particular animal.

In Section 3 we briefly discuss the data that has been collected across ten countries in Africa and in Section 4 this data is then used to estimate econometric models of each livestock model. In Section 5 we use these estimated equations to simulate the way farmer decisions would change if climate changed. We explore some simple uniform climate scenarios and some complex climate model scenarios from Atmospheric Oceanic General Circulation Models (AOGCMs). The paper concludes with some general observations and policy implications.

2. Theory

We assume that a livestock farmer chooses the outputs and inputs that maximize net revenue subject to the prices, climate, soils and other external factors that he or she faces. The farmer must determine whether or not it is profitable to engage in livestock management and also choose which species to manage.

The first choice is a discrete choice of whether or not to engage in livestock management. Suppose the profit from managing livestock is given by $\pi_i^* = X\beta - \varepsilon$ where X is a vector of regressors composed of climates, soils and other socio-economic factors. Suppose the disturbance ε is known to the households and unknown to the econometrician, but the cumulative distribution function (CDF) is a function $F(\varepsilon)$ that is known up to a finite

parameter vector. The profit maximizing farms will then choose to have livestock if $\pi_i^* > 0$ or $\varepsilon < X\beta$. The probability that this occurs, given X, is $P(\varepsilon < X\beta) = F(X\beta)$. If $F(\varepsilon)$ is a standard logistic CDF, then after the integration the probability can be expressed as

$$P_i = \frac{\exp(X\beta)}{\exp(X\beta) + 1} \quad (1)$$

The likelihood of observing our sample can be constructed and the maximum likelihood estimators are obtained by a nonlinear optimization technique (Chow 1984, McFadden 1999).

The farmer then compares the profits from different species in order to choose which one to adopt. We compare three models of this choice. The primary animal model assumes that the only choice of importance to the farmer is the primary animal, i.e. the species that earns the greatest net revenue on the farm. The farmer must consequently choose a single primary animal from the list of available species. The portfolio model examines all possible combinations of species that a farmer can choose. This model treats specific combinations of species as distinct choices. The list of choices for both of these models is mutually exclusive. The farmer can select only one choice.

We assume that farmer i 's profit in choosing the j_{th} animal ($j=1,2,\dots,J$) is

$$\pi_{ij} = V(K_j, S_j) + \varepsilon(K_j, S_j) \quad (2)$$

where K is a vector of exogenous characteristics of the farm and S is a vector of characteristics of farmer i . For the portfolio model, the j_{th} choice could be a combination of animals. The vector K could include climate, soils, and access variables and S could include the age of the farmer and family size. The profit function is composed of two components: the observable component V and an error term, ε . The error term is unknown to the researcher, but may be known to the farmer. The farmer will choose the livestock that gives him the highest profit. Defining $Z = (K, S)$, the farmer will choose j_{th} animal over all other animals if:

$$\pi^*(Z_{ji}) > \pi^*(Z_{ki}) \text{ for all } k \neq j. [\text{or if } \varepsilon(Z_{ki}) - \varepsilon(Z_{ji}) < V(Z_{ji}) - V(Z_{ki}) \text{ for } k \neq j] \quad (3)$$

More succinctly, farmer i 's problem is:

$$\arg \max_j [\pi^*(Z_{1i}), \pi^*(Z_{2i}), \dots, \pi^*(Z_{ji})] \quad (4)$$

The probability P_{ji} for the j_{th} animal to be chosen is then

$$\begin{aligned} P_{ji} &= \Pr[\varepsilon(Z_{ki}) - \varepsilon(Z_{ji}) < V_j - V_k] \\ &= \Pr[\varepsilon(Z_{ki}) < \varepsilon(Z_{ji}) + V_j - V_k] \forall k \neq j \text{ where } V_j = V(Z_{ji}) \end{aligned} \quad (5)$$

If V is linear in parameters, this integration reduces to a simple form:

$$P_{ji} = \frac{e^{Z_{ji}\gamma_j}}{\sum_{k=1}^J e^{Z_{ki}\gamma_k}} \quad (6)$$

which gives the probability that farmer i will choose alternative j among J alternatives (McFadden 1973, Chow 1984, McFadden 1999, Train 2003). The parameters can be estimated by the Maximum Likelihood method, using an iterative nonlinear optimization technique such as the Newton-Raphson method. These estimates are CAN (Consistent and Asymptotically Normal) under standard regularity conditions (McFadden 1999).

The third approach estimates a system of demand equations for each animal. The farmer determines whether a species is profitable. The more profitable the species, the more likely it is that the farmer will adopt it. We estimate this system of equations using multivariate probit. Note that the choices in this framework are not mutually exclusive and farmers can select more than one species. Let Y_{ij} denote the binary response of i_{th} farmer on the j_{th} animal and let $Y_i = (Y_{i1}, \dots, Y_{iJ})$ denote the collection of responses on all J animals. According to the multivariate probit model (Chib & Greenberg 1998), the probability that $Y_i = y_i$, conditioned on parameters β, Σ , and a set of covariates x_{ij} , is given by

$$P(Y_i = y_i | \beta, \Sigma) = \int \dots \int \phi_J(t_1, \dots, t_J | 0, \Sigma) dt_1 \dots dt_J \quad (7)$$

Where $\phi_j(t|0,\Sigma)$ is J -variate normal distribution with mean vector 0 and correlation matrix $\Sigma = \{\sigma_{jk}\}$, and A_{ij} is the interval

$$A_{ij} = \begin{cases} (-\infty, x_{ij}'\beta_j) & \text{if } y_{ij} = 1, \\ (x_{ij}'\beta_j, \infty) & \text{if } y_{ij} = 0. \end{cases} \quad (8)$$

All three approaches to selecting species are theoretically sound. However, each approach is best suited to particular circumstances. The primary animal approach is well suited when the secondary animals are of little economic importance. The portfolio approach is well suited when there are few choices but specific combinations of species are unique and important. The demand system approach is best suited to the case when the choice of each species is independent of the choice of others. The researcher often cannot determine in advance which method is to be preferred. We consequently compared all three methods using the same data.

The primary animal analysis is clearly warranted when there is a great deal of specialization, i.e. when secondary animals are of little economic importance. The portfolio approach is especially useful when specific combinations of animals are unique and important; for example, it may be easy to manage two species together. One problem with the portfolio approach, however, is the possibility of too many choices. The number of combinations ($2^n - 1$) increases rapidly with the number of choices, n . In our dataset, the five primary animals to choose from led to 31 possible combinations. Estimating coefficients across this many choices is demanding. Finally, the demand system approach is well suited for determining the presence of an animal on a farm. However, this approach implicitly assumes the choice of each species is independent of the other choices.

3. Data

The dataset for this analysis comes from an extensive economic survey involving over 9000 farmers in ten African countries: Burkina Faso, Cameroon, Egypt, Ethiopia, Ghana, Kenya, Niger, Senegal, South Africa and Zambia. Data was gathered from Zimbabwe but the livestock observations had to be dropped because of the turbulent conditions in this country during the survey period. The data was collected for the GEF project studying the impact of climate change on African agriculture (Dinar et al. 2006). A more detailed description of the design of the survey, data collection, data cleaning and the set of variables measured is available (Kurukulasuriya & Mendelsohn 2006; Seo & Mendelsohn 2006). This section briefly summarizes the key highlights and variables used in this study.

Our dataset records information on livestock production and transactions, livestock product production and transactions, and relevant costs. The data indicate that the five major types of livestock in Africa are beef cattle, dairy cattle, goats, sheep and chickens. Other less frequent animals recorded include breeding bulls, pigs, oxen, camels, ducks, guinea fowl, horses, bees and doves. The major livestock products sold were milk, beef, eggs, wool and leather. Others included butter, cheese, honey and manure. Annual revenue is the sum of livestock sold and

livestock products sold. Net revenue was calculated by subtracting costs from gross revenue. The five major animals account for 86% of all livestock revenue. We consequently limited the analysis to these five animals.

Climate data came from two sources: US Defense Department satellites and weather station observations. We relied on the satellite data for temperature observations and the ground station data for interpolated precipitation observations (Mendelsohn et al. 2006). Soil data were obtained from the FAO digital soil map of the world CD ROM. The data was extrapolated to the district level using GIS (Geographical Information System). The dataset reports 116 dominant soil types.

4. Empirical results

The first decision is the binary choice of whether or not to engage in livestock management. This decision was estimated across the full dataset of 9000 farms from the survey. Table 1 shows the results of the logit analysis of livestock management. Three tests of the global significance of the model are all highly significant. The coefficients reveal that several factors affect whether or not a farm adopts livestock. West African farms are less likely to choose to engage in livestock management. The probability of owning livestock increases with available pasture in the district. Farmers in countries with higher Islam populations and higher population densities are also more likely to own livestock.

The most important result in Table 1, however, concerns the climate coefficients. Climate influences livestock ownership. All the climate coefficients except the linear term on winter temperature are significant. The shapes of the response functions to temperature are complex. The livestock response to summer temperature is hill-shaped but the response to winter temperature is U-shaped. In contrast, the livestock response to both summer and winter precipitation is U-shaped.

In Figures 1a and 1b, we plot the estimated probabilities of choosing livestock over a range of annual temperatures and precipitation levels. The model predicts that the probability of owning livestock increases as annual temperature increases but decreases as annual rainfall increases. Farmers choose livestock more often when it is hotter and dryer. This result is not unique to Africa and can be observed across many landscapes, including the American West, southern Latin America and western Asia. Livestock have a competitive advantage over crops in hot and dry landscapes (Viglizzo et al. 1997, Swinton 1988, Fafchamps et al. 1998, Evenson 2005). Although pasture may be more productive if located in cooler and wetter climates, the land becomes more profitable for crops. Further, grasslands turn to forests. Finally, hot moist conditions also bring on animal diseases. Hence, we observe in this data that farmers adapt to hot and dry climates by shifting to livestock. Note, however, that there is a limit to how dry landscapes can become and still remain suitable for livestock.

The second analysis examines the choice of primary animal. In the data, farmers can pick any combination from the five animals, and more than one can be chosen. However, our data indicate that farmers tend to specialize. The primary animal generated 88% of total livestock income in the sample. Our first model examines the choice of a primary animal across different climates using multinomial logit. Table 2 shows the regression results for the five primary animals. The base case is a household with chickens. Most of the coefficients are very significant and the test of global significance of the model verifies that the model is

highly significant. West African farmers are less likely to own beef cattle and especially dairy cattle. This may be because of problems the West African farmers have with animal diseases. Instead of cattle, West Africans are more likely to own goats and especially sheep. Large farmers in Africa specialize in dairy and especially beef cattle. These farmers may be more vulnerable to climate change to the extent that these species are particularly climate sensitive. Electricity is associated with beef cattle, dairy cattle, and sheep and may be a proxy for market access or a commercial farm. The climate variables are mostly significant. The probability response to summer temperature is hill-shaped in the case of beef cattle and U-shaped otherwise. The response to winter temperature is U-shaped for beef cattle and sheep and hill-shaped for dairy cattle and goats.

Because the climate response functions are quadratic, it is helpful to see these in graphic form. Figure 2a graphs the relationship between the probability of choosing a species and annual temperature for the primary animal regression. Note that the mean temperature in sub-Saharan Africa is 22°C. The probability of choosing beef cattle decreases rapidly as temperature rises, as does the probability of choosing dairy cattle. In contrast, the probability of choosing goats and sheep climbs as temperature rises. With chickens, the estimated probability is hill-shaped, with a maximum at the current mean temperature of Africa. The graph clearly reveals that the choice of animals in Africa today is very temperature sensitive.

Figure 2b displays the estimated relationship between the probability of choosing an animal and annual precipitation for the primary animal approach. Beef cattle, dairy cattle and sheep all decrease as precipitation increases. More rain increases the probability of disease and, perhaps more importantly, shifts the ecosystem from savanna to forest (Sankaran et al. 2005). All three of these animals are clearly more productive in grasslands. In contrast to the above results, goats and especially chickens are more likely to be chosen as rain increases. Goats may be able to forage more successfully than other large animals in wetter climates.

The second species choice model, the ‘optimal portfolio’ approach, examines all combinations of animals from the five animals. All of these choices are then estimated using multinomial logit regression. We examine all chosen combinations with sufficient observations to estimate a regression. Altogether there are 14 combinations in Table 3. The base case is the households that have chosen dairy cattle, goats, sheep and chickens together. Climate parameter estimates are not directly comparable to those using the other methods. Looking at just the households who selected only one animal, the probability response to summer temperature is hill-shaped except for dairy cattle. This is in contrast with the other analyses in which summer temperature has a U-shaped response function except for beef cattle. The response to precipitation is similar across models. Precipitation has a U-shaped response in most cases. Large farms are more likely to choose any of the combinations, whereas farms with electricity are less likely to choose any combination of animals, with a few exceptions.

The plots for the ‘portfolio’ results for temperature in Figure 3a and precipitation in Figure 3b reveal similar shapes to Figures 2a and 2b. We construct these plots by estimating the probability for each combination of animals given a particular temperature or precipitation level. We then sum the probabilities of all the combinations that entail one particular species, and repeat this calculation for each species. Note that this approach detects the probability that a species is present at the farm. Higher temperatures reduce the probability of choosing both beef and dairy cattle and increase the probability of choosing goats and sheep. These temperature results are quite similar to the findings of the primary animal approach, except that dairy cattle have a much stronger negative temperature effect.

The portfolio approach, however, does not give the same precipitation responses as the primary animal approach. With the portfolio approach, the probabilities of choosing beef and dairy cattle are not sensitive to precipitation and the probabilities of choosing goats and sheep decrease with precipitation. The choice of whether or not to own a species is quite different from the choice of which species should be the primary animal. It is possible that the primary animal choice is motivated more by commercial interests whereas the choice of secondary animals may be for household use. For example, even when cattle are not a particularly good commercial investment, households may still want a few of them for personal use.

The third approach we use to model species selection is the demand system approach. We estimate a system of probit equations for each species and account for possible correlation across errors in the regressions. Note that the alternatives are not mutually exclusive in this case and the sum of the probabilities is greater than one. Table 4 shows the results. Farms with electricity are more likely to choose beef and dairy cattle and sheep. Large farms are more likely to choose any animal except for chickens. West African farmers are less likely to choose beef and dairy cattle but more likely to choose goats and sheep. These results are quite consistent with the results in Table 2 and Table 3, which use the primary animal and portfolio approaches.

The climate coefficients are significant and similar to the results in Table 2 and Table 3. For example, with beef cattle the linear term is positive and the quadratic term is negative with respect to summer temperature. The linear term is negative and the quadratic term is positive with respect to summer temperature in the case of dairy cattle and sheep.

Figures 4a and 4b plot the estimated probability response function with respect to temperature and precipitation respectively from the multivariate probit model. These plots suggest little difference from the primary animal approach except that the sum of the probabilities is greater than one. The probability of choosing beef cattle and dairy cattle decreases, the probability of choosing goats and sheep increases, and the probability of choosing chickens is hill-shaped with respect to annual mean temperature. Note that the mean temperature in the sample for beef cattle and dairy cattle is 19°C, for goats and sheep 24°C, and for chickens 21°C. Precipitation responses for beef cattle, dairy cattle and sheep are similar to those of the primary animal approach. However, the goat and chicken probabilities start to decrease at a significantly large amount of rainfall.

5. Climate change simulations

A. Uniform climate change scenarios

We begin this analysis by examining some uniform climate change scenarios. In the warming scenarios, we increase existing temperatures by a constant amount across Africa. In the precipitation scenarios, we change rainfall proportionally by the same amount across Africa. Although these climate scenarios are not realistic, they provide a simple set of climate changes that allow one to see how the model behaves and to test whether the results are well-behaved. The scenarios explore changes of +2.5°C, +5.0°C, +15% precipitation and -15% precipitation across all of Africa.

Table 5 shows how climate change affects the decision of whether or not to engage in livestock management. A warming of 2.5°C increases the probability of engaging in livestock

management by 5% and a further warming of 5°C raises the increased probability to 9%. More rainfall reduces the probability and less rainfall increases the probability, but the effects are substantially smaller than the temperature change effects.

Table 6 shows how the probability of choosing a particular animal is predicted to change for each uniform scenario. For both the primary animal approach and the demand system, warming causes the probability of choosing beef cattle and chicken to decrease significantly and the probability of choosing goats and sheep to increase. The change for dairy cattle is positive but insignificant. As warming proceeds, these effects continue to increase. The portfolio approach predicts the same changes from warming except that dairy cattle decrease significantly. The rainfall effects are much smaller than the warming effects. All three choice models predict increases/decreases in rainfall will decrease/increase dairy cattle and sheep. This result is probably due to the effects precipitation has on the landscape between savanna and forest. The primary animal model predicts that increases/decreases in rainfall will increase/decrease goats and chickens. The demand system and portfolio models predict that more/less rainfall slightly increases/decreases the probability of beef cattle.

B. AOGCM scenarios

We also examine a set of climate change scenarios predicted by AOGCMs. These climate scenarios reflect the A1 scenarios in the IPCC's Special Report on Emissions Scenarios (SRES) (IPCC 2001) from the following models: Canadian Climate Center (CCC) (Boer et al. 2000), Center for Climate System Research (CCSR) (Emori et al. 1999), and Parallel Climate Model (PCM) (Washington et al. 2000). We examine country level climate change scenarios for 2000, 2020, 2060, and 2100. For each climate scenario, we add the climate model's predicted change in temperature to the baseline temperature in each district. We also multiply the climate models predicted percentage change in precipitation by the baseline precipitation in each district or province. This gives us a new climate for every district in Africa.

Table 7 summarizes the climate scenarios of the three models for the years 2020, 2060, and 2100. The models predict a broad set of scenarios consistent with the range of outcomes in the most recent IPCC report (Houghton et al. 2001). In 2100, PCM predicts a 2°C increase, CCSR a 4°C increase and CCC a 6°C increase in temperature in Africa. Rainfall predictions are noisier: PCM predicts an average 10% increase, CCC a 10% decrease and CCSR a 30% average decrease in rainfall in Africa. In addition to the mean rainfall in Africa varying substantially across the scenarios, there is also substantial variation in rainfall across countries within each scenario.

Examining the path of climate change over time reveals that temperatures are predicted to increase steadily until 2100 for all three models. Precipitation predictions, however, vary across time. CCC predicts a declining trend, CCSR an initial decrease, and then increase, and decrease again, and PCM an initial increase, and then decrease, and increase again.

We then use the parameters from our discrete continuous choice model in Table 1 to simulate the impacts of climate change on the livestock management under each AOGCM scenario. Table 8 describes how the probability of owning livestock changes with each climate scenario. The scenarios of all three climate models predict a 2–3% increase in the probability of owning livestock by 2020, and a 4–7% increase by 2060. In 2100, the impacts of the three

climate scenarios diverge: CCC predicts a sharp increase in livestock ownership, PCM a moderate reduction from 2060 and CCSR a return to current conditions in 2100.

Table 9 shows how the probability of choosing each animal changes for each climate scenario, using the primary animal estimates (Table 2). All these climate scenarios predict that farmers will choose fewer beef cattle and chickens, but more goats and sheep. For the primary animal approach, the CCC and CCSR climate scenarios predict a gradually increasing loss of beef cattle over the next century, while the PCM scenario predicts an initial loss by 2020 and no change afterwards.

Table 10 shows how the probabilities of choosing each animal change according to the portfolio model estimates. (Table 3). Under all the climate scenarios, the probability of choosing beef cattle and chickens decreases and the probability of choosing sheep increases gradually over time, which is in accordance with the other approaches. The results from the portfolio approach, unlike the other approaches, however, predict that dairy cattle and goats will decrease as well.

Table 11 shows the results for the demand system approach (Table 4). The results are quite similar to the primary animal analysis, with decreasing beef cattle and chickens and increasing goats and sheep across all scenarios. Dairy cattle increase and decrease depending on the scenario.

6. Conclusion

This paper quantifies the way African farmers have adapted livestock management to the varied climates found across the African continent. We examine whether farmers choose to adopt livestock and which species to manage. Using data from over 9000 farmers, a logit analysis of livestock ownership reveals that farmers are more likely to choose to manage livestock in warmer and drier locations. This result confirms observations that livestock tend to be located in hotter and drier locations around the world.

We examine species selections using three different approaches: primary animal approach, multivariate probit approach, and portfolio approach. All three approaches reveal that the probability of choosing beef cattle and dairy cattle decreases as temperature increases, but the probability of owning goats and sheep increases. The probability of choosing chickens has a hill-shaped response to temperature. According to the primary animal and demand system approaches, more rainfall reduces the probability of choosing beef cattle, dairy cattle and sheep, but increases the probability of choosing goats and chickens. In contrast, the portfolio approach predicts precipitation has little effect on beef cattle and dairy cattle and causes the probability of choosing goats to decrease.

We simulate the magnitude of these effects across several uniform scenarios. Warming by 2.5°C increases the probability of managing livestock by 5% and a 5°C warming increases the probability by 9%. Higher temperatures will move African farmers into livestock management. More precipitation, in contrast, reduces the probability that a farmer will choose livestock management. Warming moves farmers away from choosing cattle and chicken and towards choosing goats and sheep. The primary animal approach predicts a 2.5°C warming will decrease the probability of selecting beef cattle by 2% and chickens by 3%, and that a 5°C warming will reduce beef by 4% and chickens by 7%. Sheep replace these

animals. Relative to the effects of warming, precipitation has very small effects on species choice.

We also simulate the livestock effects across three AOGCM climate scenarios. The AOGCM scenarios predict a 2–3% increase in the probability of owning livestock by 2020, a 4–7% increase by 2060, and a 0–13% increase by 2100. The wide range in outcomes reflects both temperature and precipitation differences across the climate scenarios. For both the primary animal and demand system analysis, all the climate warming scenarios predict that farmers will choose beef cattle and chicken less often, but goats and sheep more often. For example, the probability of choosing beef cattle decreases on average by 1% in 2020, 2% in 2060, and 3% in 2100 for the primary animal analysis, and by 3% in 2020, 4% in 2060, and 5% in 2100 for the demand system analysis. In most scenarios, dairy cattle tend to decrease but there are exceptions. The portfolio approach predicts goats will decline due to rainfall effects.

In general, farmers will adapt to warming by slowly moving towards livestock management. Managing livestock in Africa is likely to be relatively more profitable than crops in future climate conditions. However, the species chosen will be slightly different than today, with less emphasis on cattle and chickens and more on goats and sheep. These changes may be especially hard on larger farms that currently specialize in cattle. Although this paper anticipates that there will be widespread adaptations, the changes envisioned are relatively minor. Farmers should have little difficulty making these transitions as climate change gradually unfolds.

Of course, this study does not examine all conditions that may be relevant to the future. The paper does not consider technical change, although this is likely to be very important. It does not consider a shift in the GDP away from agriculture, although this would reduce the potential number of farmers at risk. It does not consider the effects of other climate-related factors such as changes in water flow, irrigation, and carbon dioxide fertilization.

REFERENCES

- Adams R et al., 1999. The economic effects of climate change on US agriculture. In Mendelsohn, R & Neumann, J (eds), *The Impact of Climate Change on the United States Economy*. Cambridge, UK: Cambridge University Press.
- Ausubel J, 1991. A second look at the impacts of climate change. *American Scientist* 79: 211–221.
- Barnett J, 2001. Adapting to climate change in Pacific Island countries: The problem of uncertainty. *World Development* 29: 977–993.
- Boer G, Flato G & Ramsden D, 2000. A transient climate change simulation with greenhouse gas and aerosol forcing: Projected climate for the 21st century. *Climate Dynamics* 16: 427–450.
- Bryant CR et al., 2001. Adaptation in Canadian agriculture to climate variability and change. *Climatic Change* 45: 181–201.
- Chib S & Greenberg E, 1998. An analysis of multivariate probit models. *Biometrika* 85: 347–361.
- Chow G, 1983. *Econometrics*. New York: McGraw-Hill.
- Dinar A, Hassan R, Kurukulasuriya P, Benhin J & Mendelsohn R, 2006. The policy nexus between agriculture and climate change in Africa. A synthesis of the investigation under the GEF / WB Project, *Regional Climate, Water and Agriculture: Impacts on and Adaptation of Agro-ecological Systems in Africa*. CEEPA Discussion Paper No. 39, Centre for Environmental Economics and Policy in Africa, University of Pretoria.
- Emori, S, Nozawa T, Abe-Ouchi A, Namaguti A & Kimoto M, 1999. Coupled ocean-atmospheric model experiments of future climate change with an explicit representation of sulfate aerosol scattering. *Journal of the Meteorological Society of Japan* 77: 1299–1307.
- Evenson RE, 2005. Agricultural technology and climate change impacts. Working Paper, Yale University.
- Fafchamps M, Udry C & Czukas K, 1998. Drought and saving in West Africa: Are livestock a buffer stock? *Journal of Development Economics* 55: 273–305.
- Ford J & Katondo K, 1977. *The Distribution of Tsetse flies in Africa*. Organization of African Unity, Nairobi, Kenya.
- Houghton JT et al. (eds), 2001. *Climate Change 2001: The Scientific Basis*. Contribution of Working Group I to the third assessment report of the Intergovernmental Panel on Climate Change. Cambridge: Cambridge University Press.
- IPCC (Intergovernmental Panel on Climate Change), 2001, *Climate Change 2001: The Scientific Basis*. New York: Cambridge University Press.

- Kelly DL, Kolstad CD & Mitchell GT, 2005. Adjustment costs from environmental change. *Journal of Environmental Economics and Management* 50: 468–495.
- Klein RJT, Nicholls RJ & Mimura N, 1999. Coastal adaptation to climate change: Can the IPCC technical guidelines be applied? *Mitigation and Adaptation Strategies for Global Change* 4(3–4): 51–64.
- Kurukulasuriya P & Mendelsohn R, 2006. A Ricardian analysis of the impact of climate change on African cropland. CEEPA Discussion Paper No. 8, Centre for Environmental Economics and Policy in Africa, University of Pretoria.
- Leary NA, 1999. A framework for benefit-cost analysis of adaptation to climate change and climate variability. *Mitigation and Adaptation Strategies for Global Change* 4(3–4): 307–318.
- McCarthy J, Canziani, OF, Leary, NA, Dokken DJ & White C (eds), 2001. *Climate Change 2001: Impacts, Adaptation, and Vulnerability*. Contribution of Working Group II to the third assessment report of the Intergovernmental Panel on Climate Change. Cambridge: Cambridge University Press.
- McFadden DL, 1973. Conditional logit analysis of qualitative choice behavior. In Zarembka P (ed.), *Frontiers in Econometrics*. New York: Academic Press.
- McFadden DL, 1999. Chapter 1. Discrete Response Models. University of California at Berkeley, Lecture Notes.
- Mendelsohn R, 2000. Efficient adaptation to climate change. *Climatic Change* 45: 583–600.
- Mendelsohn R, Nordhaus W & Shaw D, 1994. The impact of global warming on agriculture: A Ricardian analysis. *American Economic Review* 84: 753–771.
- Mendelsohn RA, Basist A, Kogan F & Kurukulasuriya P, 2006 (forthcoming). Measuring climate change impacts with satellite versus weather station data. *Climatic Change*.
- Pittock B & Jones RN, 2000. Adaptation to what and why? *Environmental Monitoring and Assessment* 61(1): 9–35.
- Reilly J et al., 1996. Agriculture in a changing climate: Impacts and adaptations. In Watson R, Zinyowera M, Moss R & Dokken D (eds), 1996. *Climate Change 1995: Impacts, Adaptations, and Mitigation of Climate Change: Scientific-Technical Analyses*, Cambridge: Cambridge University Press for the Intergovernmental Panel on Climate Change (IPCC).
- Sankaran M et al., 2005. Determinants of woody cover in African savannas, *Nature* 438: 846–849.
- Seo SN & Mendelsohn R, 2006. Climate change impacts on animal husbandry in Africa: A Ricardian analysis. CEEPA Discussion Paper No. 9, Centre for Environmental Economics and Policy in Africa, University of Pretoria.
- Smit B, McNabb D & Smithers J, 1996. Agriculture adaptations to climate variation. *Climatic Change* 33: 7–29.

- Smit B, Burton I, Klein RJT & Wandel J, 2000. An anatomy of adaptation to climate change and variability. *Climatic Change* 45(1): 223–251.
- Smit B & Pilifosova O, 2001. Adaptation to climate change in the context of sustainable development and equity. In McCarthy JJ, Canziani OF, Leary NA, Dokken DJ & White KS (eds), *Climate Change 2001: Impacts, Adaptation, and vulnerability – Contribution of Working Group II to the Third Assessment Report of the Intergovernmental Panel on Climate Change*. Cambridge, U.K.: Cambridge University Press.
- Swinton S, 1988. Drought survival tactics of subsistence farmers in Niger. *Human Ecology* 16: 123–144.
- Train K, 2003. *Discrete Choice Methods with Simulation*, Cambridge, UK: Cambridge University Press.
- Viglizzo EF, Roberto Z, Lertora F, Lopez G & Bernardos J, 1997, Climate and land use change in field-crop ecosystems of Argentina *Agriculture, Ecosystems and the Environment* 66: 61–70.
- Washington W et al., 2000. Parallel Climate Model (PCM): Control and transient scenarios. *Climate Dynamics* 16: 755–774.
- Yohe G, Neumann J, Marshall P & Ameden A, 1996. The economic costs of sea-level rise on developed property in the United States. *Climate Change* 32: 387–410.

Table 1: Logit regression of whether or not to own livestock

Variable	Estimate	Wald chi-sq	Odds ratio
Intercept	-4.814	36.025	
Temperature summer	0.247	15.763	1.280
Temperature summer sq	-0.005	15.343	0.995
Precipitation summer	0.010	30.788	1.010
Precipitation summer sq	0.000	37.903	1.000
Temperature winter	-0.020	0.123	0.980
Temperature winter sq	0.004	4.625	1.004
Precipitation winter	-0.018	40.700	0.982
Precipitation winter sq	0.000	36.037	1.000
West Africa	-0.851	57.628	0.427
% pasture	0.817	7.983	2.265
% Islam	0.919	14.716	2.507
Population density	0.091	318.376	1.095
Population density sq	-0.001	280.254	0.999

Table 2: Multinomial logit ‘primary animal’ regressions of species choice

Variable	Beef cattle			Dairy cattle		
	Est.	χ^2	OR	Est.	χ^2	OR
Intercept	-2.916	1.450		13.336	74.287	
Temperature summer	0.496	6.711	1.642	-1.145	100.922	0.318
Temperature summer sq	-0.014	11.261	0.986	0.019	58.532	1.019
Precipitation summer	0.015	14.592	1.015	-0.022	49.731	0.978
Precipitation summer sq	0.000	28.270	1.000	0.000	15.070	1.000
Temperature winter	-0.556	19.712	0.573	0.175	2.290	1.192
Temperature winter sq	0.018	23.700	1.018	0.004	1.571	1.004
Precipitation winter	-0.004	0.501	0.996	-0.032	43.425	0.969
Precipitation winter sq	0.000	0.439	1.000	0.000	9.098	1.000
West Africa	-1.088	22.092	0.337	-3.092	226.729	0.045
Large farms	4.097	540.972	60.178	2.654	416.886	14.209
Electricity	0.785	17.854	2.192	0.599	13.550	1.821

Variable	Goats			Sheep		
	Est.	χ^2	OR	Est.	χ^2	OR
Intercept	6.564	14.871		12.307	51.906	
Temperature summer	-0.804	50.026	0.448	-0.803	43.024	0.448
Temperature summer sq	0.016	48.575	1.016	0.014	33.097	1.014
Precipitation summer	-0.007	6.668	0.993	-0.007	4.020	0.993
Precipitation summer sq	0.000	9.204	1.000	0.000	0.185	1.000
Temperature winter	0.174	1.511	1.191	-0.404	12.038	0.668
Temperature winter sq	-0.001	0.019	0.999	0.015	22.158	1.015
Precipitation winter	-0.024	24.591	0.977	-0.027	23.462	0.974
Precipitation winter sq	0.000	16.397	1.000	0.000	6.173	1.000
West Africa	0.446	6.735	1.562	0.935	20.778	2.547
Large farms	0.888	51.060	2.429	1.694	182.293	5.440
Electricity	-0.048	0.112	0.953	0.320	4.606	1.378

Likelihood ratio test: P<0.0001, Lagrange multiplier test: P<0.0001, Wald test: P<0.0001

Table 3: Multinomial logit ‘optimal portfolio’ regression

	Beef cattle		Goats		Dairy cattle		Sheep	
	Estimate	chi-sq	Estimate	chi-sq	Estimate	chi-sq	Estimate	chi-sq
Intercept	-15.382	13.310	-6.828	6.010	8.947	12.000	1.964	0.530
Temperature summer	1.600	21.140	0.550	7.630	-0.520	6.850	0.029	0.020
Temperature summer sq	-0.029	16.550	-0.011	7.870	0.008	3.450	-0.004	0.890
Precipitation summer	0.061	36.710	-0.022	11.440	-0.038	30.550	-0.029	19.850
Precipitation summer sq	0.000	15.700	0.000	27.690	0.000	28.890	0.000	23.910
Temperature winter	-0.934	15.260	-0.218	0.870	0.014	0.000	-0.278	1.660
Temperature winter sq	0.019	7.610	0.011	2.930	0.000	0.010	0.015	6.780
Precipitation winter	0.035	4.990	0.028	5.210	0.018	1.990	0.004	0.090
Precipitation winter sq	0.000	0.000	0.000	2.110	0.000	4.290	0.000	0.230
Big farm	0.147	0.600	1.928	212.510	1.256	93.180	1.685	171.960
Electricity	-0.528	7.740	-0.472	10.360	-0.046	0.080	-0.716	24.500

Table 3: (continued)

	Chickens		Goats + sheep		Goats + chickens		Goats + chickens + sheep	
	Estimate	chi-sq	Estimate	chi-sq	Estimate	chi-sq	Estimate	chi-sq
Intercept	-14.256	38.800	-8.524	7.500	-16.993	44.530	-20.876	56.330
Temperature summer	1.252	54.080	0.186	0.790	0.984	29.030	1.080	30.290
Temperature summer sq	-0.024	51.260	-0.007	3.070	-0.020	30.710	-0.021	30.760
Precipitation summer	-0.011	3.830	-0.036	29.720	-0.010	2.450	-0.008	1.600
Precipitation summer sq	0.000	13.190	0.000	18.150	0.000	10.910	0.000	2.150
Temperature winter	-0.005	0.000	0.521	3.290	0.492	4.850	0.633	7.200
Temperature winter sq	-0.002	0.100	0.000	0.000	-0.009	2.300	-0.010	2.870
Precipitation winter	0.036	11.810	0.013	0.980	-0.006	0.300	-0.006	0.280
Precipitation winter sq	0.000	5.860	0.000	4.120	0.000	0.660	0.000	0.120
Large farm	2.283	356.570	1.359	128.500	1.942	266.280	1.199	115.620
Electricity	-0.059	0.190	-0.584	17.070	-0.099	0.490	-0.103	0.520

Table 3: (continued)

	Dairy cattle + goats + chickens		Sheep + chickens		Dairy cattle + goats + sheep		Dairy cattle + chickens		Dairy cattle + sheep + chickens	
	Est	chi-sq	Est	chi-sq	Est	chi-sq	Est	chi-sq	Est	chi-sq
Intercept	7.60	8.26	-6.58	4.57	-5.02	2.58	3.36	1.55	0.94	0.11
Temperature summer	-0.13	0.47	0.33	2.38	0.40	3.38	-0.08	0.16	-0.16	0.65
Temperature summer sq	0.00	0.79	-0.01	4.40	-0.01	6.54	0.00	0.37	0.00	0.77
Precipitation summer	-0.03	15.16	0.00	0.42	0.01	1.03	-0.04	42.79	-0.04	23.22
Precipitation summer sq	0.00	13.12	0.00	2.11	0.00	5.69	0.00	32.78	0.00	13.56
Temperature winter	-0.42	3.71	0.12	0.18	-0.12	0.22	0.21	1.25	0.50	3.65
Temperature winter sq	0.02	6.95	0.00	0.27	0.01	1.86	-0.01	0.87	-0.01	1.05
Precipitation winter	0.00	0.02	0.00	0.00	0.03	2.96	0.01	1.55	0.00	0.17
Precipitation winter sq	0.00	0.00	0.00	0.00	0.00	3.78	0.00	3.31	0.00	0.77
Large farm	0.61	20.53	1.73	162.71	-0.11	0.33	1.19	88.83	0.48	13.05
Electricity	0.42	5.12	-0.46	9.05	-0.09	0.23	-0.01	0.00	0.32	3.30

Table 4: Multivariate probit ‘demand system’ regressions

Variable	Beef cattle		Dairy cattle		Chickens	
	Est	T	Est	T	Est	T
Intercept	0.692	5.850	1.888	12.470	-1.210	-7.310
Temperature summer	0.072	8.420	-0.107	-9.840	0.091	7.630
Temperature summer sq	-0.001	-8.450	0.002	7.400	-0.002	-6.580
Precipitation summer	0.003	11.710	-0.002	-6.920	0.001	2.900
Precipitation summer sq	0.000	0.000	0.000	0.000	0.000	0.000
Temperature winter	-0.167	-18.910	0.021	1.850	0.105	8.500
Temperature winter sq	0.004	16.780	0.000	1.030	-0.004	-9.980
Precipitation winter	0.002	3.620	-0.005	-7.760	0.000	-0.550
Precipitation winter sq	0.000	0.000	0.000	0.000	0.000	0.000
West Africa	-0.066	-4.190	-0.520	-25.580	0.082	3.730
Large farms	0.211	20.420	0.295	23.580	-0.054	-3.670
Electricity	0.090	6.850	0.067	3.960	-0.185	-10.150

Variable	Goats		Sheep	
	Est	T	Est	T
Intercept	0.111	0.650	1.270	7.540
Temperature summer	0.031	2.530	-0.054	-4.420
Temperature summer sq	-0.001	-2.850	0.001	2.980
Precipitation summer	0.000	-1.140	0.000	-1.050
Precipitation summer sq	0.000	0.000	0.000	0.000
Temperature winter	-0.015	-1.180	-0.025	-1.950
Temperature winter sq	0.001	2.460	0.002	4.140
Precipitation winter	-0.003	-4.720	-0.003	-4.510
Precipitation winter sq	0.000	0.000	0.000	0.000
West Africa	0.204	8.900	0.123	5.440
Large farms	0.155	10.630	0.248	17.180
Electricity	-0.061	-3.210	0.037	2.000

Table 5: Change in probabilities of choosing livestock from uniform climate change scenarios

Scenarios	Change in probability	Scenarios	Change in probability
Baseline probability	72.7%		
Increase temperature 2.5 C	+4.8%	Increase rain 15%	-0.6%
Increase temperature 5 C	+8.8%	Decrease rain 15%	+0.4%

Table 6: Change in the probabilities of selecting species in each uniform climate change scenario

Scenarios	Beef cattle	Dairy cattle	Goats	Sheep	Chickens
Primary animal analysis					
Baseline probability	11.8%	23.1%	23.4%	19.4%	22.3%
Increase temp 2.5°C	-1.7%	0.4%	0.8%	3.3%	-2.8%
Increase temp 5°C	-3.8%	2.1%	0.0%	8.7%	-7.0%
Decrease rain 15%	-0.3%	1.8%	-1.2%	1.1%	-1.4%
Increase rain 15%	-0.1%	-1.5%	1.5%	-1.1%	1.0%
Demand system analysis					
Baseline probability	35.5%	56.1%	63.0%	58.8%	71.6%
Increase temp 2.5°C	-3.7%	0.1%	5.1%	5.6%	-7.4%
Increase temp 5°C	-4.6%	1.7%	10.7%	13.2%	-20.6%
Decrease rain 15%	-1.0%	2.7%	0.3%	2.3%	-0.3%
Increase rain 15%	0.6%	-2.4%	-0.1%	-2.5%	0.1%
Optimal portfolio analysis					
Baseline probability	4.8%	26.3%	54.5%	45.0%	63.7%
Increase temp 2.5°C	-1.8%	-7.2%	4.4%	7.1%	-9.7%
Increase temp 5°C	-2.8%	-11.5%	5.3%	14.2%	-22.0%
Decrease rain 15%	-1.5%	2.1%	0.1%	2.7%	-0.2%
Increase rain 15%	2.2%	-1.9%	-0.2%	-2.6%	-0.4%

Table 7: AOGCM climate scenarios

	Current	2020	2060	2100
Temperature (°C)				
CCC	23.29	24.94	26.85	29.96
CCSR	23.29	25.27	26.17	27.39
PCM	23.29	23.95	24.94	25.79
Rainfall (mm/month)				
CCC	79.75	76.84	71.86	65.08
CCSR	79.75	73.99	76.67	62.44
PCM	79.75	89.58	80.72	83.18

Table 8: Predicted change in the probability of choosing livestock from AOGCM scenarios

Scenarios	Baseline	Change in 2020	Change in 2060	Change in 2100
CCC	72.4%	+3.1%	+3.5%	+12.2%
CCSR	72.4%	+3.1%	+4.5%	0.0%
PCM	72.4%	+2.1%	+6.7%	+5.1%

Table 9: ‘Primary animal’ analysis of the change in the probability of selecting species in each AOGCM climate scenario

	Beef cattle	Dairy cattle	Goats	Sheep	Chickens
Primary animal analysis					
2020					
CCC	-1.6%	1.3%	1.8%	1.9%	-3.4%
CCSR	-0.5%	-0.1%	1.6%	1.9%	-2.8%
PCM	-2.1%	-1.4%	5.5%	1.2%	-3.3%
2060					
CCC	-1.7%	-1.5%	4.7%	2.9%	-4.4%
CCSR	-1.2%	4.4%	-1.9%	2.1%	-3.4%
PCM	-2.1%	4.0%	-2.7%	8.6%	-7.9%
2100					
CCC	-3.9%	6.8%	-5.7%	16.7%	-13.8%
CCSR	-3.3%	-0.1%	4.6%	1.9%	-3.1%
PCM	-2.1%	-0.9%	4.3%	4.0%	-5.4%

Table 10: ‘Optimal portfolio’ analysis of the change in the probability of selecting species in each AOGCM climate scenario

	Beef cattle	Dairy cattle	Goats	Sheep	Chickens
Optimal portfolio analysis					
2020					
CCC	-4.3%	-9.5%	-0.8%	21.7%	-28.8%
CCSR	-4.3%	-10.1%	-0.6%	21.0%	-28.4%
PCM	-3.4%	-13.8%	-4.6%	14.9%	-35.4%
2060					
CCC	-3.6%	-15.3%	-5.8%	16.8%	-36.6%
CCSR	-3.9%	-8.8%	-1.3%	21.4%	-31.7%
PCM	-4.6%	-12.8%	-5.6%	27.3%	-35.2%
2100					
CCC	-4.6%	-17.7%	-10.6%	33.8%	-45.8%
CCSR	-3.2%	-15.9%	-4.2%	20.6%	-36.2%
PCM	-3.7%	-17.3%	-6.5%	16.9%	-39.7%

Table 11: ‘Demand system’ analysis of the change in the probability of selecting species in each AOGCM climate scenario

	Beef cattle	Dairy cattle	Goats	Sheep	Chickens
Demand system analysis					
2020					
CCC	-2.8%	0.7%	3.9%	4.3%	-5.9%
CCSR	-1.9%	-2.4%	3.9%	3.9%	-5.8%
PCM	-6.1%	-8.1%	5.4%	-4.8%	-6.4%
2060					
CCC	-5.1%	-9.2%	6.8%	-1.7%	-9.4%
CCSR	-3.2%	4.1%	4.7%	4.3%	-9.0%
PCM	-2.0%	2.9%	9.6%	13.2%	-18.9%
2100					
CCC	-0.3%	7.1%	17.1%	23.2%	-40.5%
CCSR	-8.1%	-4.1%	6.2%	5.0%	-12.3%
PCM	-5.2%	-9.5%	8.4%	-0.6%	-14.4%




Figure 1a: The effect of annual temperature on the probability of owning livestock




Figure 1b: The effect of annual precipitation on the probability of owning livestock




Figure 2a: The effect of annual temperature on the probability of species choice: Primary animal approach




Figure 2b: The effect of annual precipitation on the probability of species choice: Primary animal approach




Figure 3a: The effect of annual temperature on the probability of species choice: Portfolio approach




Figure 3b: The effect of annual precipitation on the probability of species choice: Portfolio approach




Figure 4a: The effect of annual temperature on the probability of species choice: Demand system approach




Figure 4b: The effect of annual precipitation on the probability of species choice: Demand system approach